

SMEG vaatwasser volledig integreerbaar - STFABWH3



€ 1.700,00

Artikelnummer	STFABWH3
EAN	8017709305079
Merk	SMEG

PRODUCTOMSCHRIJVING

SPECIFICATIES

TYPE

Product familie: Vaatwasser
 Nishoogte: 82 cm
 Aantal bestekken: 13
 Installatie: Under counter built-in
 Commerciële breedte: 60 cm
 Deurpaneel: Niet voorzien
 EAN-code: 8017709305079

DESIGN

Kleur: Wit
 Afwerking: Glanzend
 Design: 50's Style
 Kleur voorpaneel: Inox finger friendly
 Type deur: Bol
 Kleur deur: Wit
 Kleur LED/Display: Wit
 Kleur handgreep: Chromed
 Kleur toetsen: Zilver (oropal grijs)

PROGRAMMA'S / FUNCTIES

Eco: Eco, this economic wash programme uses a low amount of water and energy in order to provide the most environmentally friendly cleaning option. ... Soak programme: The soak programme provides a rinse to prevent dirt from drying. ... Auto 45°- 65°: The auto programme regulates the length of a cycle depending on the need for a pre-wash and the number of rinses required. Crystal: The crystal cycle is a particular programme designed especially for delicate dishes with light dirt. Normal programme: The normal programme is suitable for normal degrees of dirt for everyday use. Ultraclean: The Ultraclean option performs a final rinse at a high temperature of

70°C eliminating virtually all bacteria. ???PRG_STERYL2_72dpi??? Rapid 27 Mins: The rapid 27 mins quick program takes just 27 minutes to wash a load.

Aantal programma's: 10+1

Weken: Ja

Snel 27': Ja

Snel - Volledig 60': Ja

ECO: Ja

Stil (-2dB): Ja

Auto sensor 45-65: Ja

Mix: Yes

Intensief: Ja

Hygiëne 99,9%: Ja

Automatische reiniging: Ja

Glazen: Ja

Wastemperatuur: 38, 45, 50, 55, 65, 70, 75 °C

OPTIES

Delay Timer: The delay timer can postpone the start of the program by up to 24 hours. ... FlexiZone: The ½ load flexizone allows you to wash a reduced load saving energy, water and time and there are no restrictions on where the items are placed. Enersave: At the end of the drying cycle a special device slowly automatically opens the door a few centimeters, to ensure perfect drying and to save up to 20% of energy on some models.

Dry Assist+ option: Yes

Start uitstel optie: Tot 24 uur, i.c.m. automatisch spoelen

FlexiZone ½ (halve beladingsmogelijkheid): Ja

Optie speciale programma's: Yes

KORVEN

FlexiDuo: The FlexiDuo 3rd cutlery basket allows you to arrange cutlery or small cups, ladles, or bulky utensils however you like: it consists of two separate and moveable modules. EasyGlide: Convenient EasyGlide system for easy unloading of the appliance that allows reaching maximum flexibility of load of the machine. Anti-drip: Some models of dishwashers are equipped with special polymer nozzles anti-drip, that improve the process of drying.

Aantal manden: 3 met FlexiDuo besteklade

Kleur korven: Grijs

Kleur korfcomponenten: Grijs

Handgreep: In plastic with stainless steel insert on upper and lower basket

Bovenste mand: Met 3 neerklapbare rekken

Glass holder: Yes

Bovenste mand met EasyGlide systeem: Ja

Aanpasbare hoogte bij bovenste mand: 3 niveaus

Onderste mand: With 4 foldable racks

Grootste bord in bovenste mand: 19,0 cm

Onderste mand met anti-druppel systeem: Ja

Grootste bord in onderste mand: 30,0 cm

Bestekmandje: No

Kleur interne onderdelen: Grijs

TECHNISCHE SPECIFICATIES

PLANETARIUM_WASHING_SYSTEM_72dpi Aquatest measures the clarity of the water during an auto program, and automatically ensures the minimum consumption of water and energy. Total Acquastop: In addition to the partial Acquastop protection present in all Smeg dishwashers, some models have an electronic device fitted to the water intake hose, which monitors water levels in the machine, detects leaks in the hose and switches off the water supply immediately when necessary. ???INVERTER2_72dpi???

Bediening: Elektronisch

Display: Instelling start uitstel

Door opening system: Ja

Type display: 1 cijfer

Indicator aan/uit: Ja

Indicator zout: Indicator (lampje)

Indicator glansspoelmiddel: Indicator (lampje)

Indicator einde cyclus: Geluidssignaal

Wassysteem: Planetarium wassysteem

Droogsysteem: Natuurlijk condensatiedrogen, met DryAssist + automatische deuropening einde cyclus

Motor: Inverter 2.0

Derde sproeiarm: Enkel

Water verzachter: Elektronisch instelbaar

Aquatest: Ja

Aquastop: Total Aquastop

Water toevoer: Enkel; koud en warm water tot 60 °C - energiebesparing tot 35%

Maximale waterhardheid: 100°fH;58°dH

Bescherming tegen stoom: Van plaatstaal

Materiaal kuip: Inox

Filter: Inox

Warmte element: Ja

Min. and max plinth height: 98 - 168 mm

Scharnieren: Zelfbalancerend met vast steunpunt

Aanpasbare voetjes: 7 cm, van 820 tot 890 mm

Achterste voetjes aanpasbaar vanaf voorkant: Ja

PRESTATIES/ENERGIE LABEL - REG. 2019

Noise Level: Excellent insulation and special devices keep noise to a minimum. System WaterSave ensures the best washing results with minimal water consumption depending on the model of dishwasher. The symbols show the number of plate settings of the dishwasher. ???Energy_Classes_B_right_72dpi???

Energie-efficiëntieklasse: B

Energy consumption [per 100 cycles, based on the eco programme]: 63 KWh

Rated capacity (ps): 13

Water verbruik (per cyclus): 9.0 litres

Duur langste programma: 4:25 h:min

Geluidsniveau: 44 dB(A) re 1 pW

Emissieklasse voor akoestisch luchtgeluid: B

Energy efficiency Index (EEI): 37.9

ELEKTRISCHE AANSLUITING

Aansluitwaarde: 1800 W

Spanning: 220-240 V

Type of connection: Single-phase

Frequentie: 50 Hz

Lengte voedingskabel: 140 cm

LOGISTIEKE INFORMATIE

Afmetingen: 818x598x584

Netto gewicht (kg): 47.000 kg

SPECIFICATIES

Artikelnummer	STFABWH3
EAN / Barcode	8017709305079
Kleur	Wit
Aantal couverts	13
Automatische dosering	Nee
Maximum nisbreedte	600 mm
Minimum nishoogte	820 mm
Gamma	FAB
Geluidsniveau	44 dB
Diepte	584 mm
Droogsysteem	Automatische deuropening

SPECIFICATIES

Maximum nishoogte	890 mm
Minimum nisbreedte	600 mm
Minimum nisdiepte	575 mm
EAN	8017709305079
Energieklasse	B
Breedte	598 mm
Bestekvoorziening	Besteklade
Uitgestelde start	Ja
Hoogte	818 mm
Aantal programma's	11
Bediening via app	Nee
Wettelijke garantie	2 jaar
Serie	50's Style